

NELAC NY 11769
NRPP 101193 AL
NRSB ARL0017

EPA 913.0 SM 20 7500 Rn
Liquid Scintillation

Laboratory Report for:

Property Tested:

Home Land Environmental
9106 Philadelphia Road Suite 108B
Rosedale MD 21237

Jason Reid
11726 Janney Court
Clarksville MD 21029

Log Number	Device Number	Sample Location	Result pCi/L	Uncertainty pCi/L
2407913	1245314	Outside Tap	1960	+/- 210

Contact your State Radon Office for information about your radon in water test result. Links to State Radon Offices are available online at <https://geopub.epa.gov/Radon/>.

Comment: Confidential: Release results to client only. Home Land Environmental was emailed a copy of this report.

Performed by: Dave Wessner Certification Number 8051DW

Distributed by: Home Land Environmental

Sample Collected:	12/06/2018 10:56 am	Date Received:	12/12/2018	Date Analyzed:	12/13/2018
		Date Logged:	12/12/2018	Date Reported:	12/13/2018

Report Reviewed By: Michel Cleveland Report Approved By: Shawn Price

Disclaimer:

Shawn Price, Director of Laboratory Operations, AccuStar Labs

Factors contributing to uncertainty include statistical variations, daily and seasonal variations in radon concentrations, sample collection techniques and operation of the dwelling. Interference with test conditions may influence the test results.

This report may only be transferred to a third party in its entirety. Analytical results relate to the samples AS RECEIVED BY THE LABORATORY. Results shown on this report represent levels of radon gas measured between the dates shown in the room or area of the site identified above as "Property Tested". Incorrect information will affect results. The results may not be construed as either predictive or supportive of measurements conducted in any area of this structure at any other time. AccuStar Labs, its employees and agents are not responsible for the consequences of any action taken or not taken based upon the results reported or any verbal or written interpretation of the results.